

2018 COA Oral Auction

LOT #	SPECIMEN/NAME	SIZE-mm	QTY	REMARKS
1	<i>Forreria belcheri</i> (Hinds, 1843)	135.0, 39.9	2	
2	<i>Spondylus regius</i> Linnaeus, 1758	140, 190	2	
3	<i>Leporicypraea valentia</i> (G. Perry, 1811)	93.0	1	
4	<i>Vullietoliva foxi</i> (Stingley, 1984)	37.8	1	Cocos Island, very large
5	<i>Lambis robusta</i> (Swainson, 1821)	124.9	1	
5	<i>Ophioglossolambis digitata</i> (G. Perry, 1811)	147.7	1	
6	<i>Pteropurpura macroptera</i> (Deshayes, 1839)	37.0 - 49.6	6	Brown & cream
6	<i>Pteropurpura macroptera</i> var. <i>tremperi</i> (Dall, 1910)	41.2	1	Banded
7	<i>Ancistrolepis grammatus</i> (Dall, 1907)	113.0	1	
8	<i>Harpa gracilis</i> Broderip & G.B. Sowerby I, 1829	30.0	1	French Polynesia, top quality
9	<i>Nodipecten fragosus</i> (Conrad, 1849)	130.0, 125.0	2	
10	<i>Homolocantha pele</i> (Pilsbry, 1918)	45.0, 51.2	4	
11	<i>Cirsotrema rugosum</i> (Kuroda & Ito, 1961)	65.6	1	
12	<i>Umbilia armeniaca armeniaca</i> (Verco, 1912)	111.9	1	Very large
13	<i>Sinustrombus taurus</i> (Reeve, 1857)	90.5	1	
14	<i>Spondylus gloriosus</i> G.B. Sowerby II, 1847	95.0	1	Hawaii, white
15	<i>Zoila thersites</i> (Gaskoin, 1849)	90.1	1	Large, hard to get this size
16	<i>Volutoconus bednalli</i> (Brazier, 1878)	111.0	1	
17	<i>Conus leviteni</i> (Tucker, Tenorio & Chaney, 2011)	58.0, 48.2	2	
17	<i>Conus bandanus</i> Hwass in Bruguière, 1792	118.9	1	
17	<i>Conus quercinus</i> [Lightfoot], 1786	118.8	1	
18	<i>Naquetia barclayi</i> (Reeve, 1858)	43.6-77.4	5	Yellow
19	<i>Boreotrophon dalli</i> (Kobelt, 1878)	58.7	1	Rare
19	<i>Nodulotrophon coronatus</i> (H. Adams & A. Adams, 1864)	size when imaged	1	
20	<i>Voluta polypleura</i> var. <i>demarcoi</i> Olsson, 1965	40.5, 51.8, 69.1, 83.7	4	Size series
21	<i>Lambis pilsbryi</i> Abbott, 1961	147.2, 177.0	2	
22	<i>Conus adamsonii</i> Broderip, 1836	34.2	1	
23	<i>Zoila friendii kostini</i> Lorenz & Chiapponi, 2007	58.7	1	

2018 COA Oral Auction

LOT #	SPECIMEN/NAME	SIZE-mm	QTY	REMARKS
24	<i>Talochlamys zelandiae</i> (Gray, 1843)	48.1	1	Bright yellow
25	<i>Homalocantha pele</i> (Pilsbry, 1918)	15.0-52.0	9	
26	<i>Cribrarula astaryi</i> F. Schilder, 1971	11.0, 20.5	2	Marquesas, endemic
26	<i>Purpuradusta fimbriata marquesana</i> Lorenz, 2002	7.8, 12.7	2	
26	<i>Naria helvola bellatrix</i> (Lorenz, 2009)	13.9, 23.9	2	
26	<i>Mauritia maculifera martybealsi</i> Lorenz, 2002	48.0, 66.0	2	
26	<i>Talparia talpa vivida</i> Bridges, in litt.	57.6	1	Paratype 31, new subspecies
26	<i>Cypraea tigris lorenzi</i> Meyer & Tweedt, 2017	77.8	1	New subspecies
27	<i>Callipara africana</i> (Reeve, 1856)	69.4	1	
28	<i>Barycypraea fultoni amorimi</i> Raybaudi, 1989	75.1	1	Becoming harder to acquire
29	<i>Pteropurpura macroptera</i> (Deshayes, 1839)	56.5, 51.8, 51.3	3	Nice group of California muricids
29	<i>Ceratostoma nuttalli</i> (Conrad, 1837)	61.4, 48.7, 46.3	3	
29	<i>Ceratostoma foliatum</i> (Gmelin, 1791)	76.5	1	
30	<i>Angaria sphaerula</i> (Kiener, 1838)	63.4	1	
31	<i>Spondylus americanus</i> Hermann, 1781		3	Top quality
32	<i>Purpurellus pinninger</i> (Broderip, 1833)	43.2 - 46.2	4	Color variations
33	<i>Leporicypraea rosea ultraviola</i> Lorenz & Bridges, 2014	67.5	1	Paratype
34	<i>Scaphella dubia georgiana</i> (Clench, 1946)	47.5	1	
35	<i>Mirapecten cranmerorum</i> (Waller, 1986)	52.4	1	
36	<i>Morum tuberculosum</i> (Reeve, 1842)	42.2, 40.8	2	
37	<i>Phyllonotus whymani</i> Petuch & Sargent, 2011	43.8, 48.2, 59.4	3	Size series
38	<i>Conus auricomus</i> Hwass in Bruguière, 1792	23.4 - 51.4	7	Locality & size series
39	<i>Lyria lyraeformis</i> (Swainson, 1821)	123.7	1	
40	<i>Conus kaiserae</i> (Tenorio, Tucker & Chaney, 2012)	16.6	1	Cocos Island, endemic, very rare
41	<i>Conus conco</i> Puillandre et al., 2015	48.1, 56.2	2	Marquesas, endemic
41	<i>Conus gauguini</i> Richard & Salvat, 1973	68.3	1	
41	<i>Conus marchionatus</i> Hinds, 1843	38.0, 49.1	2	
41	<i>Conus vautieri</i> Kiener, 1847	29.0, 40.3	2	

2018 COA Oral Auction

LOT #	SPECIMEN/NAME	SIZE-mm	QTY	REMARKS
42	<i>Provocator mirabilis</i> (Finlay, 1926)	128.1	1	
43	<i>Timbellus bednalli</i> (Brazier, 1878)	54.6, 57.7	2	Cream
44	<i>Ophioglossolambis violacea</i> (Swainson, 1821)	111.0	1	
45	<i>Americoliva deynzeræ</i> (Petuch & Sargent, 1986)	55.4, 59.0, 66.5	3	Cocos Isand, color variations
46	<i>Austrotrophon catalinensis</i> (I. Oldroyd, 1927)	68.5	1	One of the best, w/o
47	<i>Zoila friendii vercoi</i> var. <i>insulata</i> Raybaudi, 1985	86.6,	1	Collected by Andrew Edinger
47	<i>Zoila venusta episema</i> var. <i>sorrentensis</i> F. Schilder, 1963	55.0, 56.2	2	
48	<i>Propustularia surinamensis</i> (G. Perry, 1811)	24.9	1	
49	<i>Conus bartschi</i> Hanna & A.M. Strong, 1949	42.1	1	
49	<i>Conus archon</i> Broderip, 1833	51.8, 52.2	2	
50	<i>Conus nocturnus</i> [Lightfoot], 1786	56.1	1	Collectors, don't miss this one!
51	<i>Voluta musica</i> Linnaeus, 1758	54.3 - 85.5	6	Very nice color variations
52	<i>Nucleolaria granulata</i> (Pease, 1862)	21.8	1	Hawaiian Cypraea
52	<i>Pustularia mauiensis</i> (Burgess, 1967)	11.1	1	
52	<i>Talostolida rashleighana</i> (Melvill, 1888)	18.0	1	
52	<i>Cribrarula gaskoini</i> var. <i>fischeri</i> (Vayssi�re, 1910)	15.6, 11.6	2	
52	<i>Luria isabella</i> var. <i>controversa</i> (Gray, 1824)	32.9	1	
53	<i>Trophon pelseneeri</i> E.A. Smith, 1915	24.5, 27.1	2	Rare colors
53	<i>Enixotrophon obtusiliratus</i> (Schepman, 1911)	35.7	1	
53	<i>Boreotrophon clathratus</i> var. <i>grunneri</i> (Lov�n, 1846)	12.0	1	
53	<i>Boreotrophon clathratus</i> (Linn�, 1767)	19.9	1	
54	<i>Pterynotus elongatus</i> ([Lightfoot], 1786)	54.3-85.7	6	
55	<i>Sinustrombus taurus</i> (Reeve, 1857)	110.3, 90.0	2	Top quality
56	<i>Ceratostoma burnetti</i> (A. Adams & Reeve, 1849)	102.0, 90.8	2	
57	<i>Trophon</i> sp. ?	26.2	1	California
57	<i>Boreotrophon avalonensis</i> Dall, 1902	16.5	1	
57	<i>Boreotrophon</i> cf. <i>candelabrum</i> (Reeve, 1848)	33.8	1	
58	<i>Ceratostoma foliatum</i> (Gmelin, 1791)	77.9	1	Albino, very nice quality

2018 COA Oral Auction

LOT #	SPECIMEN/NAME	SIZE-mm	QTY	REMARKS
59	<i>Hexaplex duplex</i> var. <i>canariensis</i> (F. Nordsieck, 1975)	67.8	1	Between Morocco & Canary Islands
60	<i>Cypraea tigris schilderiana</i> C. Cate, 1961	111.0, 121.3	2	Hawaii
61	<i>Scaphella junonia</i> (Lamarck, 1804)	109.2	1	
61	<i>Scaphella junonia butleri</i> Clench, 1953	125.0	1	
62	<i>Vokesimurex rubidus</i> var. <i>panamicus</i> (Petuch, 1990)	29.0-31.8	5	
62	<i>Favartia macgintyi</i> (M. Smith, 1938)	27.9, 24.7	2	
63	<i>Gloripallium speciosum</i> (Reeve, 1853)	59.0, 53.8, 52.0	3	Color set
63	<i>Semipallium diana</i> (Crandall, 1979)	38.5-46.3	5	Color set
64	<i>Annachlamys reevei</i> (A. Adams in A. Adams & Reeve, 1850)	28.3, 41.2	2	
65	<i>Chicoreus axicornis</i> (Lamarck, 1822)	44.0-	4	
65	<i>Chicoreus aculeatus</i> (Lamarck, 1822)	44.0-	4	
66	<i>Zoila perlae</i> A. Lopez & Chiang, 1975	42.5	1	
67	<i>Spondylus americanus</i> Hermann, 1781	207.3	1	
68	<i>Conus kintoki</i> Habe & Kosuge, 1970	53.3, 67.1, 66.3	3	
68	<i>Conus telatus</i> var. <i>rugosus</i> Lauer, 1988	53.1	1	
68	<i>Conus thomae</i> Gmelin, 1791	82.2	1	
68	<i>Conus circumcisis</i> Born, 1778	83.7	1	
69	<i>Miomelon alarconi</i> Stuardo & Villas, 1974	72.4	1	
70	<i>Conus imperialis</i> Linnaeus 1758	53.2	1	Hawaii, very unusual
71	<i>Leporicypraea mappa mappa</i> var. <i>montrouzieri</i> Dautzenberg, 1903	81.6	1	Niger
72	<i>Latiaxis pilsbryi</i> Hirase, 1908	36.0, 37.6	2	
73	<i>Macrocyprea cervinetta californica</i> Lorenz, 2017	93.0	1	Paratype 18, new subspecies
74	<i>Harpulina lapponica loroisi</i> (Valenciennes, 1863)	92.0, 101.3	2	
74	<i>Lyria cloveriana</i> Weaver, 1963	87.2	1	
74	<i>Harpulina arausiaca</i> ([Lightfoot], 1786)	72.1	1	
75	<i>Spondylus leucacanthus</i> Broderip, 1833	156.7, 150.5, 144.0	3	Super red specimen
76	<i>Homalocantha anatomica</i> (G. Perry, 1811)	4 at ~40.0, 48.5	5	
76	<i>Chicomurex elliscrossi</i> (Fair, 1974)	73.9	1	

2018 COA Oral Auction

LOT #	SPECIMEN/NAME	SIZE-mm	QTY	REMARKS
77	<i>Spondylus gloriosus</i> G.B. Sowerby II, 1847	113.0	1	Hawaii, purple
78	<i>Pterynotus tripterus</i> (Born, 1778)	58.9	3	Red Sea, top quality
78	<i>Homalocantha digitata</i> (G.B. Sowerby II, 1841)	52.5, 58.3	2	
79	<i>Pustularia cicercula takahashii</i> Moretzsohn, 2007	18.5, 18.8	2	Hawaiian Cypraea
79	<i>Mauritia mauritiana mauritiana</i> (Linnaeus, 1758)	100.5	1	
79	<i>Luria tessellata tessellata</i> (Swainson, 1822)	32.9	1	
80	<i>Triplofusus giganteus</i> (Kiener, 1840)	455.0	1	18" giant
81	<i>Scaphella dubia dubia</i> var. <i>kieneri</i> (Clench, 1946)	153.5, 140.0	2	
82	<i>Haustellotyphis cumingii</i> (Broderip, 1833)	25.9, 28.1, 19.6	3	
82	<i>Typhis ramosus</i> Habe & Kosuge, 1971	15.4, 14.7	2	
82	<i>Typhisala clarki</i> (Keen & G. Campbell, 1964)	20.6	1	
82	<i>Ocinebrina squamulifera</i> (Carpenter in Gabb, 1865)	19.6	1	
83	<i>Conus cedonulli</i> Linné, 1767	45.3, 55.1	2	Top quality
84	<i>Ocinebrellus inornatus</i> (Récluz, 1851)	44.4	1	
84	<i>Chicoreus orchidiflorus</i> (Shikama, 1973)	36.4, 30.9	2	
84	<i>Paziella pazi</i> (Crosse, 1869)	40.0	1	
84	<i>Pterynotus bibbeyi</i> (Radwin & D'Attilio, 1976)	37.3	1	
84	<i>Chicoreus paini</i> Houart, 1983	38.4	1	
85	<i>Perisserosa guttata guttata</i> var. <i>azumai</i> F. Schilder, 1960	55.9	1	Locality subspecies/variations
85	<i>Perisserosa guttata guttata</i> var. <i>bicallosa</i> (Raybaudi, 1978)	56.2	1	
85	<i>Perisserosa guttata guttata</i> (Gmelin, 1791)	65.1	1	
85	<i>Perisserosa guttata surinensis</i> (Raybaudi, 1978)	47.1	1	
86	<i>Bistolida nanostraca</i> Lorenz & Chiapponi 2005	~14.0	1	
87	<i>Pterochelus acanthopterus</i> (Lamarck, 1816)	82.0	1	
88	<i>Punctateon eloisae</i> (Abbott, 1973)	32.3, 30.7	2	Becoming a rarity
89	<i>Haliotis corrugata corrugata</i> Wood, 1828	190.0	1	Large specimen
90	<i>Spondylus multimuricatus</i> Reeve, 1856	100.0 & 2@ +/- 120	3	Brown, purple, white
91	<i>Conus cedonulli</i> Linné, 1767	50.5, 48.9, 43.6	3	Color set

2018 COA Oral Auction

LOT #	SPECIMEN/NAME	SIZE-mm	QTY	REMARKS
92	<i>Boreotrophon alaskanus</i> Dall, 1902	33.8, 49.0	2	
93	<i>Pteropurpura centrifuga</i> (Hinds, 1844)	65.6, 44.1	2	Very nice quality for species
94	<i>Pteropurpura falcata</i> var. <i>adunca</i> (G.B. Sowerby II, 1834)	28.9-57.2	13	Color set
95	<i>Nesiocypraea teramachii polyphemus</i> Lorenz, 2002	55.7	1	Live-taken
96	<i>Nodipecten subnodosus</i> (G.B. Sowerby I, 1835)	108.3, 133.0, 135.0	3	Color set
97	<i>Murexsul octogonus</i> (Quoy & Gaimard, 1833)	56.1, 44.6	2	
98	<i>Laevityphis bullisi</i> (Gertman, 1969)	36.3, 23.1, 34.3	3	
98	<i>Favartia keenae</i> (E.H. Vokes, 1970)	23.4, 26.0, 25.8	3	
99	<i>Morum ponderosum</i> (Hanley, 1858)	35.3	1	
100	<i>Typhis latipennis</i> (Dall, 1919)	31.8	1	
101	<i>Conus artoptus</i> G.B. Sowerby I, 1833	39.7	1	
102	Compendium of Seashells Abbott & Dance	N/A	1	8th printing - New
103	Anthony D'Attilio Original Artwork	N/A	1	His work speaks for itself!
104	Lisa Lindahl Original COA 2018 Artwork	N/A	1	Oil on wood